
DANSCO

Dansco Manufacturing • 6210 Anson Highway • Hawley, Texas 79525 • (915) 676-9308

Heavy Duty

At Last...Heavy Duty Equipment for a Heavy Duty job!



After years of repairing and rebuilding all types of oil field pumping units for dealers and producers all over Texas and in Oklahoma, Larry and Danny Faulks decided someone should design and build the ideal pump jack. It should be built rugged enough to withstand the heavy duty demands of today's oil fields. As oil continues to become more valuable and wells are being drilled deeper than ever before, reliable equipment becomes a must. So, drawing from their own experience with good features and bad features of all major oil pumping units and gathering the strong points from each, the Faulks set out to design and build a superior pumping unit . . . a unit built to last. Thus Dansco Manufacturing began and has grown to the point of producing pumping units in sizes ranging from the D25 to the giant D320. Though the popular D114 is by far the unit most in demand, Dansco will supply the exact size pumping unit for the job. Every unit, no matter what size, is designed and built using the most exacting standards and quality materials relying not only on modern technology, but on brute strength as well.



Dansco has gone to extremes to produce a superior Pumping Unit that will speak for itself. Compare features like these to other MAJOR BRANDS and we're sure you'll be impressed.

WRIST PIN

3¹/₄"x12" SHAFT TAPER 5" - FROM 3¹/₄ to 2 7/8 HOUSING - CAST DUCTILE IRON BEARING - 22313 SPHERICAL ROLLER BEARING 47,900 - RATING LB CAPACITY

NUT - 21/2" EIGHT THREAD SLOTTED

FOR SAFETY KEY




TAIL BEARING HAS 4" SHAFT WITH 9" BEARING SURFACE. 11/4" U BOLTS TO HOLD TO BEAM AND TO EQUALIZER. BRONZE BUSHINS.

SADDLE BEARING HAS 51/4" CAST DUCTILE SHAFT WITH 71/2" BEARING SURFACE

A heavy duty pumping unit is not complete without a heavy duty gear box. The Dansco D114 gear box with its massive components can stand up to the rugged demands of oil field equipment.



OIL IS WIPED OFF BULL GEAR AND FED INTO BACK SIDE OF BEARING FOR GUARANTEED OILING



OTHER DANSCO UNITS AVAILABLE: D25, D40, D57, D80, D114, D160, D228, D320 or any other needed. CALL OR WRITE DANSCO FOR COMPLETE SPECIFICATIONS.



APPROXIMATELY 30 YEARS LOW SPEED BEARING LIFE, LOW SPEED SHAFT IS 61/4" UNDER GEAR, HIGH SPEED GEAR 171/2 x 31/2, LOW SPEED GEAR 29 x 61/4



CAST GEAR BOX

EMPTY WEIGHT: 2020 LBS, CAST IS 1" THICK ON WALLS & BACK SURFACE, CAST AT BOTTOM 2" THICKNESS, WIDE SURFACE UNDER EACH BEARING HOUS-ING TO INSURE LONGER HOUSING LIFE, MANY EXTRA GUSSETS.



UNIT IS DESIGNED FOR EASY HAULING & IN-STALLATION.



PARTS, SERVICE, AND GUARANTEE

Dansco's reputation is based not only on the superior quality of its pumping units and components, but in the service of their products. Their units are designed for many years of trouble free service but should a problem arise, they strive for one day service on all calls in reference to their products. This means less

down time on the job. And after all, time is Money! Parts are stocked and are readily available when needed on any piece of equipment. All pumping units and their components come complete with one year conditional guarantee. Call or write Dansco for more information.

Dansco Manufacturing 6210 Anson Highway Hawley, Texas 79525 (915) 676-9308