



OUTLINE DIMENSIONS

	A	B	C	D	E	F	G
GT57-89-36	4.4375 Dia. 4.4365 Dia.	1 x 3/8 x 6-7/8	1.749 Dia. 1.748 Dia.	3/8 x 3/16 x 2-7/16"	20-1/4"	20P.D.-3B Std. 24P.D.-3B Alt.	2-1/2"
GT57-76-42	4.4375 Dia. 4.4365	1 x 3/8 x 6-7/8	1.749 Dia. 1.748	3/8 x 3/16 x 2-7/16"	20-1/4"	20P.D.-3B Std. 24P.D.-3B Alt.	2-1/2"
GT57-89-42	4.4375 Dia. 4.4365	1 x 3/8 x 6-7/8	1.749 Dia. 1.748	3/8 x 3/16 x 2-7/16"	20-1/4"	20P.D.-3B Std. 24P.D.-3B Alt.	2-1/2"
GT57-109-42	4.4375 Dia. 4.4365	1 x 3/8 x 6-7/8	1.749 Dia. 1.748	3/8 x 3/16 x 2-7/16"	20-1/4"	20P.D.-3B Std. 24P.D.-3B Alt.	2-1/2"
GT57-95-48	4.4375 Dia. 4.4365	1 x 3/8 x 6-7/8	1.749 Dia. 1.748	3/8 x 3/16 x 2-7/16"	20-1/4"	20P.D.-3B Std. 24P.D.-3B Alt.	2-1/2"
GT57-109-48	4.4375 Dia. 4.4365	1 x 3/8 x 6-7/8	1.749 Dia. 1.748	3/8 x 3/16 x 2-7/16"	20-1/4"	20P.D.-3B Std. 24P.D.-3B Alt.	2-1/2"
GT80-109-42	5.4375 Dia. 5.4365	1-1/4 x 7/16 x 6-1/2	2.249 Dia. 2.248	1/2 x 1/4 x 3-1/8"	22-1/4"	24P.D.-4B	3-3/8"
GT80-95-48	5.4375 Dia. 5.4365	1-1/4 x 7/16 x 6-1/2	2.249 Dia. 2.248	1/2 x 1/4 x 3-1/8"	22-1/4"	24P.D.-4B	3-3/8"
GT80-109-48	5.4375 Dia. 5.4365	1-1/4 x 7/16 x 6-1/2	2.249 Dia. 2.248	1/2 x 1/4 x 3-1/8"	22-1/4"	24P.D.-4B	3-3/8"
GT80-133-48	5.4375 Dia. 5.4365	1-1/4 x 7/16 x 6-1/2	2.249 Dia. 2.248	1/2 x 1/4 x 3-1/8"	22-1/4"	24P.D.-4B	3-3/8"
GT80-119-54	5.4375 Dia. 5.4365	1-1/4 x 7/16 x 6-1/2	2.249 Dia. 2.248	1/2 x 1/4 x 3-1/8"	22-1/4"	24P.D.-4B	3-3/8"
GT80-133-54	5.4375 Dia. 5.4365	1-1/4 x 7/16 x 6-1/2	2.249 Dia. 2.248	1/2 x 1/4 x 3-1/8"	22-1/4"	24P.D.-4B	3-3/8"
GT114-133-48	5.4375 Dia. 5.4365	1-1/4 x 7/16 x 6-1/2	2.249 Dia. 2.248	1/2 x 1/4 x 3-1/8"	24-11/16"	24P.D.-3C Std. 34P.D.-3C Alt.	3-3/8"
GT114-119-54	5.4375 Dia. 5.4365	1-1/4 x 7/16 x 6-1/2	2.249 Dia. 2.248	1/2 x 1/4 x 3-1/8"	24-11/16"	24P.D.-3C Std. 34P.D.-3C Alt.	3-3/8"
GT114-133-54	5.4375 Dia. 5.4365	1-1/4 x 7/16 x 6-1/2	2.249 Dia. 2.248	1/2 x 1/4 x 3-1/8"	24-11/16"	24P.D.-3C Std. 34P.D.-3C Alt.	3-3/8"
GT114-169-54	5.4375 Dia. 5.4365	1-1/4 x 7/16 x 6-1/2	2.249 Dia. 2.248	1/2 x 1/4 x 3-1/8"	24-11/16"	24P.D.-3C Std. 34P.D.-3C Alt.	3-3/8"
GT114-143-64	5.4375 Dia. 5.4365	1-1/4 x 7/16 x 6-1/2	2.249 Dia. 2.248	1/2 x 1/4 x 3-1/8"	24-11/16"	24P.D.-3C Std. 34P.D.-3C Alt.	3-3/8"
GT114-169-64	5.4375 Dia. 5.4365	1-1/4 x 7/16 x 6-1/2	2.249 Dia. 2.248	1/2 x 1/4 x 3-1/8"	24-11/16"	24P.D.-3C Std. 34P.D.-3C Alt.	3-3/8"
GT160-169-54	5.995 Dia. 5.994	1-1/2 x 1/2 x 6-1/8	2.500 Dia. 2.499	5/8 x 5/16 x 4-7/8"	27-7/8"	24P.D.-4C Std. 34P.D.-4C Alt.	4-3/8"
GT160-143-64	5.995 Dia. 5.994	1-1/2 x 1/2 x 6-1/8	2.500 Dia. 2.499	5/8 x 5/16 x 4-7/8"	27-7/8"	24P.D.-4C Std. 34P.D.-4C Alt.	4-3/8"
GT160-169-64	5.995 Dia. 5.994	1-1/2 x 1/2 x 6-1/8	2.500 Dia. 2.499	5/8 x 5/16 x 4-7/8"	27-7/8"	24P.D.-4C Std. 34P.D.-4C Alt.	4-3/8"
GT160-200-64	5.995 Dia. 5.994	1-1/2 x 1/2 x 6-1/8	2.500 Dia. 2.499	5/8 x 5/16 x 4-7/8"	27-7/8"	24P.D.-4C Std. 34P.D.-4C Alt.	4-3/8"
GT160-173-74	5.995 Dia. 5.994	1-1/2 x 1/2 x 6-1/8	2.500 Dia. 2.499	5/8 x 5/16 x 4-7/8"	27-7/8"	24P.D.-4C Std. 34P.D.-4C Alt.	4-3/8"
GT160-200-74	5.995 Dia. 5.994	1-1/2 x 1/2 x 6-1/8	2.500 Dia. 2.449	5/8 x 5/16 x 4-7/8"	27-7/8"	24P.D.-4C Std. 34P.D.-4C Alt.	4-3/8"
GT228-200-64	5.995 Dia. 5.994	1-1/2 x 1/2 x 6-1/8	2.750 Dia. 2.749	5/8 x 5/16 x 4-7/8"	34"	30P.D.-5C Std. 44P.D.-5C Alt.	5-3/8"
GT228-173-74	5.995 Dia. 5.994	1-1/2 x 1/2 x 6-1/8	2.750 Dia. 2.749	5/8 x 5/16 x 4-7/8"	34"	30P.D.-5C Std. 44P.D.-5C Alt.	5-3/8"
GT228-200-74	5.995 Dia. 5.994	1-1/2 x 1/2 x 6-1/8	2.750 Dia. 2.749	5/8 x 5/16 x 4-7/8"	34"	30P.D.-5C Std. 44P.D.-5C Alt.	5-3/8"
GT228-246-74	5.995 Dia. 5.994	1-1/2 x 1/2 x 6-1/8	2.750 Dia. 2.749	5/8 x 5/16 x 4-7/8"	34"	30P.D.-5C Std. 44P.D.-5C Alt.	5-3/8"
GT228-212-86	5.995 Dia. 5.994	1-1/2 x 1/2 x 6-1/8	2.750 Dia. 2.749	5/8 x 5/16 x 4-7/8"	34"	30P.D.-5C Std. 44P.D.-5C Alt.	5-3/8"
GT228-246-86	5.995 Dia. 5.994	1-1/2 x 1/2 x 6-1/8	2.750 Dia. 2.749	5/8 x 5/16 x 4-7/8"	34"	30P.D.-5C Std. 44P.D.-5C Alt.	5-3/8"
GT320-246-74	7.312 Dia. 7.312	1-3/4 x 5/8 x 9 Lg.	3.374 Dia. 3.373	7/8 x 7/16 x 5-1/4"	34-3/4"	30P.D.-7C Std. 44P.D.-6C Alt.	7-3/8"
GT320-212-86	7.312 Dia. 7.312	1-3/4 x 5/8 x 9 Lg.	3.374 Dia. 3.373	7/8 x 7/16 x 5-1/4"	34-3/4"	30P.D.-7C Std. 44P.D.-6C Alt.	7-3/8"
GT320-246-86	7.312 Dia. 7.312	1-3/4 x 5/8 x 9 Lg.	3.374 Dia. 3.373	7/8 x 7/16 x 5-1/4"	34-3/4"	30P.D.-7C Std. 44P.D.-6C Alt.	7-3/8"
GT320-298-86	7.312 Dia. 7.312	1-3/4 x 5/8 x 9 Lg.	3.374 Dia. 3.373	7/8 x 7/16 x 5-1/4"	34-3/4"	30P.D.-7C Std. 44P.D.-6C Alt.	7-3/8"
GT320-256-100	7.312 Dia. 7.312	1-3/4 x 5/8 x 9 Lg.	3.374 Dia. 3.373	7/8 x 7/16 x 5-1/4"	34-3/4"	30P.D.-7C Std. 44P.D.-6C Alt.	7-3/8"
GT320-298-100	7.312 Dia. 7.312	1-3/4 x 5/8 x 9 Lg.	3.374 Dia. 3.373	7/8 x 7/16 x 5-1/4"	34-3/4"	30P.D.-7C Std. 44P.D.-6C Alt.	7-3/8"
GT320-213-120	7.312 Dia. 7.312	1-3/4 x 5/8 x 9 Lg.	3.374 Dia. 3.373	7/8 x 7/16 x 5-1/4"	34-3/4"	30P.D.-7C Std. 44P.D.-6C Alt.	7-3/8"
GT320-256-120	7.312 Dia. 7.312	1-3/4 x 5/8 x 9 Lg.	3.374 Dia. 3.373	7/8 x 7/16 x 5-1/4"	34-3/4"	30P.D.-7C Std. 44P.D.-6C Alt.	7-3/8"

OUTLINE DIMENSIONS

Pumping Units	H	J	K	L	M	N
GT57-89-36	8-7/16"	9-11/16"	20-1/8"	1/8"	13-3/16"	26-3/8"
GT57-76-42	8-7/16"	9-11/16"	20-1/8"	1/8"	13-3/16"	26-3/8"
GT57-89-42	8-7/16"	9-11/16"	20-1/8"	1/8"	13-3/16"	26-3/8"
GT57-109-42	8-7/16"	9-11/16"	20-1/8"	1/8"	13-3/16"	26-3/8"
GT57-95-48	8-7/16"	9-11/16"	20-1/8"	1/8"	13-3/16"	26-3/8"
GT57-109-48	8-7/16"	9-11/16"	20-1/8"	1/8"	13-3/16"	26-3/8"
GT80-109-42	7-15/16"	10-9/16"	23-13/16"	1/8"	13-3/16"	26-3/8"
GT80-95-48	7-15/16"	10-9/16"	23-13/16"	1/8"	13-3/16"	26-3/8"
GT80-109-48	7-15/16"	10-9/16"	23-13/16"	1/8"	13-3/16"	26-3/8"
GT80-133-48	7-15/16"	10-9/16"	23-13/16"	1/8"	16-3/8"	32-3/4"
GT80-119-54	7-15/16"	10-9/16"	23-13/16"	1/8"	16-3/8"	32-3/4"
GT80-133-54	7-15/16"	10-9/16"	23-13/16"	1/8"	16-3/8"	32-3/4"
GT114-133-48	9-1/4"	11-13/16"	23-13/16"	1/8"	16-3/8"	32-3/4"
GT114-119-54	9-1/4"	11-13/16"	23-13/16"	1/8"	16-3/8"	32-3/4"
GT114-133-54	9-1/4"	11-13/16"	23-13/16"	1/8"	16-3/8"	32-3/4"
GT114-169-54	9-1/4"	11-13/16"	23-13/16"	1/8"	16-3/8"	32-3/4"
GT114-143-64	9-1/4"	11-13/16"	23-13/16"	1/8"	16-3/8"	32-3/4"
GT114-169-64	9-1/4"	11-13/16"	23-13/16"	1/8"	16-3/8"	32-3/4"
GT160-169-54	10-1/16"	12-1/8"	25-1/2"	1/8"	16-3/8"	32-3/4"
GT160-143-64	10-1/16"	12-1/8"	25-1/2"	1/8"	16-3/8"	32-3/4"
GT160-169-64	10-1/16"	12-1/8"	25-1/2"	1/8"	16-3/8"	32-3/4"
GT160-200-64	10-1/16"	12-1/8"	25-1/2"	1/8"	18-1/4"	3' 0-1/2"
GT160-173-74	10-1/16"	12-1/8"	25-1/2"	1/8"	18-1/4"	3' 0-1/2"
GT160-200-74	10-1/16"	12-1/8"	25-1/2"	1/8"	18-1/4"	3' 0-1/2"
GT228-200-64	10-1/16"	12-1/8"	25-1/2"	1/8"	18-1/4"	3' 0-1/2"
GT228-173-74	10-1/16"	12-1/8"	25-1/2"	1/8"	18-1/4"	3' 0-1/2"
GT228-200-74	10-1/16"	12-1/8"	25-1/2"	1/8"	18-1/4"	3' 0-1/2"
GT228-246-74	10-1/16"	12-1/8"	25-1/2"	1/8"	18-1/4"	3' 0-1/2"
GT228-212-86	10-1/16"	12-1/8"	25-1/2"	1/8"	18-1/4"	3' 0-1/2"
GT228-246-86	10-1/16"	12-1/8"	25-1/2"	1/8"	18-1/4"	3' 0-1/2"
GT320-246-74	12-13/16"	15"	32-1/2"	3/16"	18-1/4"	3' 0-1/2"
GT320-212-86	12-13/16"	15"	32-1/2"	3/16"	18-1/4"	3' 0-1/2"
GT320-246-86	12-13/16"	15"	32-1/2"	3/16"	18-1/4"	3' 0-1/2"
GT320-298-86	12-13/16"	15"	32-1/2"	3/16"	22-1/16"	3' 8-1/8"
GT320-256-100	12-13/16"	15"	32-1/2"	3/16"	22-1/16"	3' 8-1/8"
GT320-298-100	12-13/16"	15"	32-1/2"	3/16"	22-1/16"	3' 8-1/8"
GT320-213-120	12-13/16"	15"	32-1/2"	3/16"	22-1/16"	3' 8-1/8"
GT320-256-120	12-13/16"	15"	32-1/2"	3/16"	22-1/16"	3' 8-1/8"

OUTLINE DIMENSIONS

Pumping Units	O	P	R	S	T	U
GT57-89-36	19-7/16"	3' 2-7/8"	8' 11"	4' 5-1/2"	4' 5-1/2"	14-15/16"
GT57-76-42	19-7/16"	3' 2-7/8"	8' 11"	4' 5-1/2"	4' 5-1/2"	15-7/8"
GT57-89-42	19-7/16"	3' 2-7/8"	8' 11"	4' 5-1/2"	4' 5-1/2"	15-7/8"
GT57-109-42	21-1/8"	3' 6-1/4"	10' 2-1/4"	5' 1-1/8"	5' 1-1/8"	18-3/4"
GT57-95-48	21-1/8"	3' 6-1/4"	10' 2-1/4"	5' 1-1/8"	5' 1-1/8"	19-7/16"
GT57-109-48	21-1/8"	3' 6-1/4"	10' 2-1/4"	5' 1-1/8"	5' 1-1/8"	19-7/16"
GT80-109-42	21-1/8"	3' 6-1/4"	10' 2-1/4"	5' 1-1/8"	5' 1-1/8"	18-3/4"
GT80-95-48	21-1/8"	3' 6-1/4"	10' 2-1/4"	5' 1-1/8"	5' 1-1/8"	19-7/16"
GT80-109-48	21-1/8"	3' 6-1/4"	10' 2-1/4"	5' 1-1/8"	5' 1-1/8"	19-7/16"
GT80-133-48	24-1/16"	4' 0-1/8"	11' 5-1/2"	5' 8-3/4"	5' 8-3/4"	20-15/16"
GT80-119-54	24-1/16"	4' 0-1/8"	11' 5-1/2"	5' 8-3/4"	5' 8-3/4"	21-7/8"
GT80-133-54	24-1/16"	4' 0-1/8"	11' 5-1/2"	5' 8-3/4"	5' 8-3/4"	21-7/8"
GT114-133-48	24-1/16"	4' 0-1/8"	11' 5-1/2"	5' 8-3/4"	5' 8-3/4"	20-15/16"
GT114-119-54	24-1/16"	4' 0-1/8"	11' 5-1/2"	5' 8-3/4"	5' 8-3/4"	21-7/8"
GT114-133-54	24-1/16"	4' 0-1/8"	11' 5-1/2"	5' 8-3/4"	5' 8-3/4"	21-7/8"
GT114-169-54	25-7/8"	4' 3-3/4"	13' 7"	6' 9-1/2"	6' 9-1/2"	23-1/2"
GT114-143-64	25-7/8"	4' 3-3/4"	13' 7"	6' 9-1/2"	6' 9-1/2"	25-7/8"
GT114-169-64	25-7/8"	4' 3-3/4"	13' 7"	6' 9-1/2"	6' 9-1/2"	25-7/8"
GT160-169-54	25-7/8"	4' 3-3/4"	13' 7"	6' 9-1/2"	6' 9-1/2"	23-1/2"
GT160-143-64	25-7/8"	4' 3-3/4"	13' 7"	6' 9-1/2"	6' 9-1/2"	25-7/8"
GT160-169-64	25-7/8"	4' 3-3/4"	13' 7"	6' 9-1/2"	6' 9-1/2"	25-7/8"
GT160-200-64	28-7/8"	4' 9-3/4"	15' 8-1/2"	7' 10-1/4"	7' 10-1/4"	28-3/4"
GT160-173-74	28-7/8"	4' 9-3/4"	15' 8-1/2"	7' 10-1/4"	7' 10-1/4"	29-3/4"
GT160-200-74	28-7/8"	4' 9-3/4"	15' 8-1/2"	7' 10-1/4"	7' 10-1/4"	29-3/4"
GT228-200-64	28-7/8"	4' 9-3/4"	15' 8-1/2"	7' 10-1/4"	7' 10-1/4"	28-3/4"
GT228-173-74	28-7/8"	4' 9-3/4"	15' 8-1/2"	7' 10-1/4"	7' 10-1/4"	29-3/4"
GT228-200-74	28-7/8"	4' 9-3/4"	15' 8-1/2"	7' 10-1/4"	7' 10-1/4"	29-3/4"
GT228-246-74	31-1/8"	5' 2-1/4"	18' 3"	9' 1-1/2"	9' 1-1/2"	32-3/4"
GT228-212-86	31-1/8"	5' 2-1/4"	18' 3"	9' 1-1/2"	9' 1-1/2"	34-3/4"
GT228-246-86	31-1/8"	5' 2-1/4"	18' 3"	9' 1-1/2"	9' 1-1/2"	34-3/4"
GT320-246-74	31-1/8"	5' 2-1/4"	18' 3"	9' 1-1/2"	9' 1-1/2"	32-3/4"
GT320-212-86	31-1/8"	5' 2-1/4"	18' 3"	9' 1-1/2"	9' 1-1/2"	34-3/4"
GT320-246-86	31-1/8"	5' 2-1/4"	18' 3"	9' 1-1/2"	9' 1-1/2"	34-3/4"
GT320-298-86	35-7/16"	5' 10-7/8"	21' 2-5/8"	10' 7-5/16"	10' 7-5/16"	3' 2-1/2"
GT320-256-100	35-7/16"	5' 10-7/8"	21' 2-5/8"	10' 7-5/16"	10' 7-5/16"	3' 4-13/16"
GT320-298-100	35-7/16"	5' 10-7/8"	21' 2-5/8"	10' 7-5/16"	10' 7-5/16"	3' 4-13/16"
GT320-213-120	35-7/16"	5' 10-7/8"	23' 4-1/16"	10' 7-5/16"	12' 8-3/4"	4' 0"
GT320-256-120	35-7/16"	5' 10-7/8"	23' 4-1/16"	10' 7-5/16"	12' 8-3/4"	4' 0"

OUTLINE DIMENSIONS

Pumping Units	V	W	X	Y	Z	AA
GT57-89-36	4' 10-1/2"	4' 2"	14"	4' 4"	8"	29-3/4"
GT57-76-42	4' 10-1/2"	4' 2"	14"	4' 4"	8"	29-3/4"
GT57-89-42	4' 10-1/2"	4' 2"	14"	4' 4"	8"	29-3/4"
GT57-109-42	5' 7-1/8"	4' 6"	14"	4' 8"	10"	3' 0-1/2"
GT57-95-48	5' 7-1/8"	4' 6"	14"	4' 8"	10"	3' 0-1/2"
GT57-109-48	5' 7-1/8"	4' 6"	14"	4' 8"	10"	3' 0-1/2"
GT80-109-42	5' 7-1/8"	4' 6"	17-1/2"	4' 8"	10"	3' 0-1/2"
GT80-95-48	5' 7-1/8"	4' 6"	17-1/2"	4' 8"	10"	3' 0-1/2"
GT80-109-48	5' 7-1/8"	4' 6"	17-1/2"	4' 8"	10"	3' 0-1/2"
GT80-133-48	6' 3-1/8"	4' 10"	17-1/2"	5' 0"	10"	3' 3-1/4"
GT80-119-54	6' 3-1/8"	4' 10"	17-1/2"	5' 0"	10"	3' 3-1/4"
GT80-133-54	6' 3-1/8"	4' 10"	17-1/2"	5' 0"	10"	3' 3-1/4"
GT114-133-48	6' 3-1/8"	4' 10"	17-1/2"	5' 0"	10"	3' 3-1/4"
GT114-119-54	6' 3-1/8"	4' 10"	17-1/2"	5' 0"	10"	3' 3-1/4"
GT114-133-54	6' 3-1/8"	4' 10"	17-1/2"	5' 0"	10"	3' 3-1/4"
GT114-169-54	7' 5"	5' 4"	17-1/2"	5' 6"	12"	3' 7-1/4"
GT114-143-64	7' 5"	5' 4"	17-1/2"	5' 6"	12"	3' 7-1/4"
GT114-169-64	7' 5"	5' 4"	17-1/2"	5' 6"	12"	3' 7-1/4"
GT160-169-54	7' 5"	5' 4"	20"	5' 6"	12"	3' 7-1/4"
GT160-143-64	7' 5"	5' 4"	20"	5' 6"	12"	3' 7-1/4"
GT160-169-64	7' 5"	5' 4"	20"	5' 6"	12"	3' 7-1/4"
GT160-200-64	8' 7"	5' 11"	20"	6' 1"	14"	3' 8"
GT160-173-74	8' 7"	5' 11"	20"	6' 1"	14"	3' 8"
GT160-200-74	8' 7"	5' 11"	20"	6' 1"	14"	3' 8"
GT228-200-64	8' 7"	5' 11"	20-3/8"	6' 1-3/8"	14"	3' 8"
GT228-173-74	8' 7"	5' 11"	20-3/8"	6' 1-3/8"	14"	3' 8"
GT228-200-74	8' 7"	5' 11"	20-3/8"	6' 1-3/8"	14"	3' 8"
GT228-246-74	9' 11-5/8"	6' 6"	20-3/8"	6' 8"	16"	4' 2"
GT228-212-86	9' 11-5/8"	6' 6"	20-3/8"	6' 8"	16"	4' 2"
GT228-246-86	9' 11-5/8"	6' 6"	20-3/8"	6' 8"	16"	4' 2"
GT320-246-74	9' 11-5/8"	6' 6"	24"	6' 8"	16"	4' 2"
GT320-212-86	9' 11-5/8"	6' 6"	24"	6' 8"	16"	4' 2"
GT320-246-86	9' 11-5/8"	6' 6"	24"	6' 8"	16"	4' 2"
GT320-298-86	11' 7-1/16"	7' 0"	24"	7' 2"	16-1/4"	4' 8"
GT320-256-100	11' 7-1/16"	7' 0"	24"	7' 2"	16-1/4"	4' 8"
GT320-298-100	11' 7-1/16"	7' 0"	24"	7' 2"	16-1/4"	4' 8"
GT320-213-120	11' 7-1/8"	7' 0"	24"	7' 2"	16-1/4"	4' 8"
GT320-256-120	11' 7-1/8"	7' 0"	24"	7' 2"	16-1/4"	4' 8"

OUTLINE DIMENSIONS

Pumping Units	AG²	AH	AJ	AK	AL	AM
GT57-89-36	5' 11-1/2"	11' 2-15/16"	3' 10-5/8"	23-5/16"	25-9/16"	4' 3-1/8"
GT57-76-42	5' 11-1/2"	11' 2-15/16"	3' 10-5/8"	23-5/16"	25-9/16"	4' 3-1/8"
GT57-89-42	5' 11-1/2"	11' 2-15/16"	3' 10-5/8"	23-5/16"	25-9/16"	4' 3-1/8"
GT57-109-42	5' 11-13/16"	12' 6"	4' 1-3/4"	24-7/8"	27-5/8"	4' 7-1/4"
GT57-95-48	5' 11-13/16"	12' 6"	4' 1-3/4"	24-7/8"	27-5/8"	4' 7-1/4"
GT57-109-48	5' 11-13/16"	12' 6"	4' 1-3/4"	24-7/8"	27-5/8"	4' 7-1/4"
GT80-109-42	5' 11-13/16"	12' 6"	4' 9-1/8"	28-9/16"	31-5/16"	5' 2-5/8"
GT80-95-48	5' 11-13/16"	12' 6"	4' 9-1/8"	28-9/16"	31-5/16"	5' 2-5/8"
GT80-109-48	5' 11-13/16"	12' 6"	4' 9-1/8"	28-9/16"	31-5/16"	5' 2-5/8"
GT80-133-48	6' 10-11/16"	13' 9-7/16"	4' 11-1/2"	29-3/4"	32-5/8"	5' 5-1/4"
GT80-119-54	6' 10-11/16"	13' 9-7/16"	4' 11-1/2"	29-3/4"	32-5/8"	5' 5-1/4"
GT80-133-54	6' 10-11/16"	13' 9-7/16"	4' 11-1/2"	29-3/4"	32-5/8"	5' 5-1/4"
GT114-133-48	6' 10-11/16"	13' 9-7/16"	4' 11-1/2"	29-3/4"	32-5/8"	5' 5-1/4"
GT114-119-54	6' 10-11/16"	13' 9-7/16"	4' 11-1/2"	29-3/4"	32-5/8"	5' 5-1/4"
GT114-133-54	6' 10-11/16"	13' 9-7/16"	4' 11-1/2"	29-3/4"	32-5/8"	5' 5-1/4"
GT114-169-54	8' 3-3/4"	15' 10-3/8"	4' 11-3/4"	29-7/8"	32-3/4"	5' 5-1/2"
GT114-143-64	8' 3-3/4"	15' 10-3/8"	4' 11-3/4"	29-7/8"	32-3/4"	5' 5-1/2"
GT114-169-64	8' 3-3/4"	15' 10-3/8"	4' 11-3/4"	29-7/8"	32-3/4"	5' 5-1/2"
GT160-169-54	8' 3-3/4"	15' 10-3/8"	5' 3-1/8"	31-9/16"	34-7/16"	5' 8-7/8"
GT160-143-64	8' 3-3/4"	15' 10-3/8"	5' 3-1/8"	31-9/16"	34-7/16"	5' 8-7/8"
GT160-169-64	8' 3-3/4"	15' 10-3/8"	5' 3-1/8"	31-9/16"	34-7/16"	5' 8-7/8"
GT160-200-64	9' 4-1/2"	18' 0-7/8"	5' 5-1/4"	32-5/8"	35-3/8"	5' 10-3/4"
GT160-173-74	9' 4-1/2"	18' 0-7/8"	5' 5-1/4"	32-5/8"	35-3/8"	5' 10-3/4"
GT160-200-74	9' 4-1/2"	18' 0-7/8"	5' 5-1/4"	32-5/8"	35-3/8"	5' 10-3/4"
GT228-200-64	9' 4-1/2"	18' 0-7/8"	5' 5-1/4"	32-5/8"	35-3/8"	5' 10-3/4"
GT228-173-74	9' 4-1/2"	18' 0-7/8"	5' 5-1/4"	32-5/8"	35-3/8"	5' 10-3/4"
GT228-200-74	9' 4-1/2"	18' 0-7/8"	5' 5-1/4"	32-5/8"	35-3/8"	5' 10-3/4"
GT228-246-74	10' 8-3/4"	20' 6"	5' 6-1/4"	33-1/8"	35-1/8"	5' 11-3/4"
GT228-212-86	10' 8-5/8"	20' 6"	5' 6-1/4"	33-1/8"	35-1/8"	5' 11-3/4"
GT228-246-86	10' 8-5/8"	20' 6"	5' 6-1/4"	33-1/8"	35-1/8"	5' 11-3/4"
GT320-246-74	10' 8-3/4"	20' 6"	5' 8-1/4"	34-1/8"	3' 6-7/8"	7' 1-3/4"
GT320-212-86	10' 8-5/8"	20' 6"	5' 8-1/4"	34-1/8"	3' 6-7/8"	7' 1-3/4"
GT320-246-86	10' 8-5/8"	20' 6"	5' 8-1/4"	34-1/8"	3' 6-7/8"	7' 1-3/4"
GT320-298-86	12' 2-3/4"	23' 3-1/4"	6' 8-3/4"	3' 4-3/8"	3' 7-5/16"	7' 2-5/8"
GT320-256-100	12' 2-3/4"	23' 3-1/4"	6' 8-3/4"	3' 4-3/8"	3' 7-5/16"	7' 2-5/8"
GT320-298-100	12' 2-3/4"	23' 3-1/4"	6' 8-3/4"	3' 4-3/8"	3' 7-5/16"	7' 2-5/8"
GT320-213-120	11' 4"	24' 0-1/2"	6' 8-3/4"	3' 4-3/8"	3' 7-5/16"	7' 2-5/8"
GT320-256-120	11' 4"	24' 0-1/2"	6' 8-3/4"	3' 4-3/8"	3' 7-5/16"	7' 2-5/8"

OUTLINE DIMENSIONS

Pumping Units	AB	AC	AD	AE	AF	AG¹
GT57-89-36	4' 9-1/4"	21-3/16"	9' 0-3/16"	32-5/16"	9' 1-3/4"	4' 3-7/8"
GT57-76-42	4' 9-1/4"	21-3/16"	9' 0-3/16"	32-5/16"	9' 1-3/4"	4' 7/8"
GT57-89-42	4' 9-1/4"	21-3/16"	9' 0-3/16"	32-5/16"	9' 1-3/4"	4' 7/8"
GT57-109-42	5' 5-7/16"	23-9/16"	10' 5-1/2"	3' 1-9/16"	10' 2-1/8"	4' 2-13/16"
GT57-95-48	5' 5-7/16"	23-9/16"	10' 5-1/2"	3' 1-9/16"	10' 2-1/8"	3' 11-3/16"
GT57-109-48	5' 5-7/16"	23-9/16"	10' 5-1/2"	3' 1-9/16"	10' 2-1/8"	3' 11-3/16"
GT80-109-42	5' 5-7/16"	23-9/16"	10' 5-1/2"	3' 1-9/16"	10' 2-1/8"	4' 2-13/16"
GT80-95-48	5' 5-7/16"	23-9/16"	10' 5-1/2"	3' 1-9/16"	10' 2-1/8"	3' 11-3/16"
GT80-109-48	5' 5-7/16"	23-9/16"	10' 5-1/2"	3' 1-9/16"	10' 2-1/8"	3' 11-3/16"
GT80-133-48	6' 1-5/8"	25-1/4"	11' 6-1/8"	3' 7-1/2"	11' 2-1/4"	4' 10-11/16"
GT80-119-54	6' 1-5/8"	25-1/4"	11' 6-1/8"	3' 7-1/2"	11' 2-1/4"	4' 7-11/16"
GT80-133-54	6' 1-5/8"	25-1/4"	11' 6-1/8"	3' 7-1/2"	11' 2-1/4"	4' 7-11/16"
GT114-133-48	6' 1-5/8"	25-1/4"	11' 6-1/8"	3' 7-1/2"	11' 2-1/4"	4' 10-11/16"
GT114-119-54	6' 1-5/8"	25-1/4"	11' 6-1/8"	3' 7-1/2"	11' 2-1/4"	4' 7-11/16"
GT114-133-54	6' 1-5/8"	25-1/4"	11' 6-1/8"	3' 7-1/2"	11' 2-1/4"	4' 7-11/16"
GT114-169-54	7' 3-1/4"	28-5/8"	13' 3-1/8"	4' 4-7/8"	12' 10"	6' 0-3/4"
GT114-143-64	7' 3-1/4"	28-5/8"	13' 3-1/8"	4' 4-7/8"	12' 10"	5' 7-3/4"
GT114-169-64	7' 3-1/4"	28-5/8"	13' 3-1/8"	4' 4-7/8"	12' 10"	5' 7-3/4"
GT160-169-54	7' 3-1/4"	28-5/8"	13' 3-1/8"	4' 4-7/8"	12' 10"	6' 0-3/4"
GT160-143-64	7' 3-1/4"	28-5/8"	13' 3-1/8"	4' 4-7/8"	12' 10"	5' 7-3/4"
GT160-169-64	7' 3-1/4"	28-5/8"	13' 3-1/8"	4' 4-7/8"	12' 10"	5' 7-3/4"
GT160-200-64	8' 4-13/16"	31-1/8"	14' 7-15/16"	5' 3-1/8"	14' 6-13/16"	6' 8-1/2"
GT160-173-74	8' 4-13/16"	31-1/8"	14' 7-15/16"	5' 3-1/8"	14' 6-13/16"	6' 3-1/2"
GT160-200-74	8' 4-13/16"	31-1/8"	14' 7-15/16"	5' 3-1/8"	14' 6-13/16"	6' 3-1/2"
GT228-200-64	8' 4-13/16"	31-1/8"	14' 7-15/16"	5' 3-1/8"	14' 6-13/16"	6' 8-1/2"
GT228-173-74	8' 4-13/16"	31-1/8"	14' 7-15/16"	5' 3-1/8"	14' 6-13/16"	6' 3-1/2"
GT228-200-74	8' 4-13/16"	31-1/8"	14' 7-15/16"	5' 3-1/8"	14' 6-13/16"	6' 3-1/2"
GT228-246-74	9' 9-3/16"	33-15/16"	16' 9-1/8"	6' 3-9/16"	16' 6-1/4"	7' 7-3/4"
GT228-212-86	9' 9-3/16"	33-15/16"	16' 9-1/8"	6' 3-9/16"	16' 6-1/4"	7' 1-5/8"
GT228-246-86	9' 9-3/16"	33-15/16"	16' 9-1/8"	6' 3-9/16"	16' 6-1/4"	7' 1-5/8"
GT320-246-74	9' 9-3/16"	33-15/16"	16' 9-1/8"	6' 3-9/16"	16' 6-1/4"	7' 7-3/4"
GT320-212-86	9' 9-3/16"	33-15/16"	16' 9-1/8"	6' 3-9/16"	16' 6-1/4"	7' 1-5/8"
GT320-246-86	9' 9-3/16"	33-15/16"	16' 9-1/8"	6' 3-9/16"	16' 6-1/4"	7' 1-5/8"
GT320-298-86	11' 4-1/4"	3' 2-1/8"	19' 2-3/8"	7' 5-3/16"	18' 7-5/8"	8' 7-3/4"
GT320-256-100	11' 4-1/4"	3' 2-1/8"	19' 2-3/8"	7' 5-3/16"	18' 7-5/8"	8' 3/4"
GT320-298-100	11' 4-1/4"	3' 2-1/8"	19' 2-3/8"	7' 5-3/16"	18' 7-5/8"	8' 3/4"
GT320-213-120	11' 4-1/4"	3' 2-1/8"	19' 2-3/8"	9' 6-5/8"	18' 7-5/8"	6' 4"
GT320-256-120	11' 4-1/4"	3' 2-1/8"	19' 2-3/8"	9' 6-5/8"	18' 7-5/8"	6' 4"